

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

## **UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS**

### **RECEIPT OF APPLICATION FROM GREEN RECOVERY TECHNOLOGIES, LLC FOR A COASTAL ZONE PERMIT AND COASTAL ZONE ACT PUBLIC HEARING**

- The application is considered to be preliminarily, administratively complete and sufficient to proceed to public hearing. The public hearing will be held on **October 22** at our agency office building located at 391 Lukens Drive, New Castle, beginning at 6:00pm. Interested persons may contact Kevin Coyle at (302) 739-9071 for more information or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2493&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING**

- The Committee will hold a meeting on **November 5** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit:

<http://egov.delaware.gov/pmc/Event/Details/22083>

### **HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE)**

- The Committee will hold a public meeting on **Dec. 4** from 9:00am-12:00pm at the DNREC Lukens Field Office, 391 Lukens Drive, New Castle, DE 19720. For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<http://egov.delaware.gov/pmc/Event/Details/24851>

**WATER SUPPLY COORDINATING COUNCIL MEETING** - The Council will hold a meeting on **January 21, 2015** from 10am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or

visit: <http://egov.delaware.gov/pmc/Event/Details/24898>

## **DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL**

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

**NOTICE HAS BEEN GIVEN THAT NORAMCO, INC.**, requests a permit to operate a new batch process (Permit# APC-2015/0025) at 500 Swedes Landing Road, Wilmington. The process has the potential to emit (PTE) 0.026 TPY VOCs, 0.017 HAPs, 0.0015 TPY Dimethylformamide (DMF), 0.001 TPY Methanol, 0.014 TPY Triethylamine, 0.01 TPY Isopropyl Alcohol, and 0.09 TPY Hydrogen. The application for this permit may be reviewed at the offices of the Division of Air Quality, Blue Hen Corporate Center, 655 S. Bay Road, Suite 5 N, Dover, Delaware or 715 Grantham Lane, New Castle, Delaware. A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **October 20**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739 9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2499&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE HAS BEEN GIVEN THAT SIEMENS HEALTHCARE DIAGNOSTICS INC.** requests permission for the installation of one (1) emergency generator, rated 750 kW (1100 HP) at Route 896 & Corporate Blvd, Newark, New Castle County. The engine used in this generator set complies with U. S. EPA regulations under the provisions of 40 CFR 89, Non-Road Tier 2 emissions limits. Permit # APC-2015/0022-CONSTRUCTION (NSPS)(GACT) Permitted emissions based on 150 hours per year are 0.020 TPY HC, 0.98 TPY NOx, 0.047 TPY CO, 0.008 TPY PM, and 0.02 TPY SO2. The application for this permit may be reviewed at the offices of the Division of Air Quality, Blue Hen Corporate Center, 655 S. Bay Road, Suite 5 N, Dover or 715 Grantham Lane, New Castle, Delaware. A public hearing on any of the above applications will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **October 20**. For additional information or for an appointment to review the application, please contact Laura Bogus at (302) 739-9402; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2494&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT BASF CORPORATION HAVING A FACILITY AT 205 SOUTH JAMES STREET, NEWPORT**, has submitted a request for a significant permit modification pursuant to 7 DE Admin. Code 1130, Section 7 for operating Permit: AQM-003/00003-Renewal 2. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). Therefore a "draft/proposed" significant permit modification has been prepared. This "draft/proposed" significant permit modification allows an increase in the permitted NOx emissions from the Metasheen process thermal oxidizer. The amendment will allow an increase in emissions from 1.57 lb NOx/hr and 4.71 tons NOx per year to 2.0 lb. /hr. and 8.76 tons per year. A public hearing concerning the permitting action will not be held unless our agency Secretary receives a request for such hearing within thirty (30) days from the date of this notice, ending **November 4**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2498&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SITE INVESTIGATION AND RESTORATION SECTION** – The Division's Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

**PROPOSED PLAN OF REMEDIAL ACTION FOR THE FORMER SMO GAS STATION (DE-1537)** -The Department invites public comment on a proposal to clean up the Former SMO Gas Station Site located at 701 Ogletown Road in Newark. The 0.63-acre Site was previously used as a gas station. Details of the Proposed Plan are available at the Newark library, at the SIRS (391 Lukens Drive, New Castle, DE, 19720), or online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx>. The comment period ends on **October 13**. For additional information, please contact Kathryn Durant, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2483&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**FINAL PLAN OF REMEDIAL ACTION FOR THE HABITAT FOR HUMANITY - 14TH & WALNUT STREETS SITE (DE-1534)** -The Department has adopted a plan regarding the clean-up of the Habitat for Humanity-14th & Walnut Streets Site in Wilmington. The property will be developed by Habitat for Humanity for a parking lot (Operable Unit 1) and housing units (Operable Unit 2). Surface and subsurface soil contamination will be addressed by a combination of protective covers and restrictions on future activity at the site. Our agency issued public notice of the Proposed Plan of Remedial Action for the Site on September 8 and opened a 20-day public comment period. During the comment period, the prospective developer expanded the area of the proposed parking lot. The Final Plan therefore reflects a slight change in the boundaries of the two Operable Units from the Proposed Plan of Remedial Action. Details of the Final Plan are available at the Wilmington Library, at the SIRS 391 Lukens Drive, New Castle, DE, 19720, or online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx>. The public may appeal this Final Plan for a period of, twenty (20) days from the date of this notice ending **October 27**. For additional information, please contact Stephen F. Johnson or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2496&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**The Brownfields Development Program** encourages the cleanup and redevelopment of vacant, abandoned or underutilized properties, which may be contaminated. A party seeking to develop such a property negotiates with SIRS for a **Brownfields Development Agreement (BDA)** to perform an investigation and, if necessary, a remedial action or remedy, for the purpose of addressing the risks posed by past releases of hazardous substances at these sites. However, a BDA is only available to parties that are not current site owners. The **Voluntary Cleanup Program (VCP) Agreement** is available to site owners, who want to clean up their sites and are already liable as a potentially responsible party for the site. Proposed and Final Plans of Remedial Action are available online at: <http://www.dnrec.delaware.gov/whs/awm/SIRB/Pages/SIRBPlans.aspx> under "Announcements." For site-specific information, please see DNREC's Environmental Navigator at <http://www.nav.dnrec.delaware.gov/DEN3>

**NOTIFICATION OF PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE FORMER TAKE A BREAK SITE (DE-1579)** - Site Investigation and Restoration Section (SIRS) negotiated a BDA with New Riverfront Associates, LLC regarding the Former Take A Break Site (Site), located at 401-415 7th Avenue and 413-423 8th Streets in Wilmington. Identified by New Castle County as tax parcel numbers 26-049.30-006 through 26-049.30-010 and 26-048.40-053 through 26-048.40-055, the 1.39 acre Site may have had a release of hazardous substances as a result of past use as an automobile repair facility and multiple leaking underground

storage tanks. Section 9126 also provides a twenty day written comment period following the execution of the BDA. The public comment period ends **October 13**. Please submit written comments to the SIRS Project Manager, Rick Galloway at SIRS, 391 Lukens Drive, New Castle, DE 19720; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2485&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTIFICATION OF PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 18904-18920 COASTAL HIGHWAY SITE (DE-1587)**

- Site Investigation and Restoration Section (SIRS) negotiated a BDA with Two Farms, Inc. regarding the 18904-18920 Coastal Highway Site. Identified by Sussex County as tax parcel numbers 3-334-12.00-165 thru -168 and -170, the 1.6 acre Site may have had a release of hazardous substances as a result of past use as a gas station. The public comment period will end **October 13**. Please submit written comments to Project Manager, Tiffany Neumann at SIRS, 391 Lukens Drive, New Castle, DE 19720; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2484&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTIFICATION OF NEGOTIATIONS AND PUBLIC COMMENT PERIOD FOR A BROWNFIELDS DEVELOPMENT AGREEMENT FOR THE 810 JUSTISON STREET SITE (DE-1589)**

- Site Investigation and Restoration Section (DNREC-SIRS) negotiated a BDA with regarding the Site (Site), located in Wilmington. Identified by New Castle County as tax parcel number 26-049.00-025, the 1.96 acre Site had a release of hazardous substances as a result of past use as a shipyard and the Site is a portion of another SIRS' Site, Dravo Shipyard Amer Industrial Tach Site (DE-1092). The public comment period will end **October 20**. Learn more about this Site by contacting at Eileen Capitoli (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2490&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - GROUND WATER DISCHARGES** – The Division of Water hereby gives notice that the applications below have been received. For additional information or to inspect the applications, please contact Kathleen Saunders in Ground Water Discharges, 89 Kings Highway, Dover, DE 19901; or by phone at (302) 739-9948. A public hearing on the below applications will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **October 20**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2495&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**On-Site Wastewater Treatment and Disposal System Permit**

Herbert Holdings, LLC has applied for a Formal Variance to construct an on-site wastewater treatment and disposal system on their property located on the south side of Donovan's Road (CR 243) just east of the Penn Central Rail Road tracks, Georgetown, DE Sussex County tax parcel # 1-35-14.00-104.00 The proposed system would be an elevated sand mound with advanced treatment meeting PSN3 requirements. It will serve a proposed new office for Donovan's salvage yard and will have a design flow not to exceed 480 gallons per day.

#### **Non-Hazardous Liquid Waste Transporters Permit**

DL George & Sons Transportation Inc. has applied to the Ground Water Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport municipal or industrial biosolids and sludge from package treatment plants to be disposed of at permitted facility (ies) in Pennsylvania.

#### **Non-Hazardous Liquid Waste Transporters Permit**

J Robert Pierson Inc. has applied to the Ground Water Discharges Section for a Non-Hazardous Liquid Waste Transporters Permit to transport septage and holding tank waste to be disposed of at permitted facility (ies) in Pennsylvania.

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit applications have been received. For additional information or to inspect the applications below, please contact Brian Churchill, Surface Water Discharges Section - Division of Water, 89 Kings Highway, Dover, DE 19901, (302) 739-9946

#### **Agricultural Utilization Permit**

McMullen Septic Service, Inc. of Seaford has requested renewal of their existing agricultural utilization permit, State Permit Number AGU 0905-S-05. The current permit authorizes the surface application of limited quantities of grease trap waste at agronomic rates onto five farms in Sussex County Delaware known as the Lambden Farm, Gordy Farm, Home Farm, Dolby Farm, and the Brittingham Farm, comprising a total of approximately 110 acres of farmland. The grease trap waste is required to undergo periodic analysis for a list of specific parameters including nutrient content. Nutrient content limits the application volume onto permitted farms. Grease trap waste will be delivered to the land application sites in accordance with Delaware Waste Transporters Permit Number WH-050 and does not contain sanitary wastewater. Part V of the Department's Guidance and Regulations Governing the Land Treatment of Wastes allows for such activity pending public notice. A public hearing on the above application will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **October 31**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2491&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. A public hearing on the applications below will NOT be held unless our agency Secretary determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by notice ending dates listed below.

#### **Subaqueous Lands Lease Application**

Timothy Ramey Construction (Tax Parcel #4-32-3-22.01) to construct a 4 by 120 foot pier, a 6 by 20 foot dock and install 2 pilings for a boat lift in the Nanticoke River at 7079 Shell Bridge Road, Laurel, Sussex, DE This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Harold and Donna Gray (1-34-5.00-130.00) to repair by replacing 105 linear feet of bulkhead, to install a 6 by 40 foot dock, a 6 by 15 foot kayak launch, and a boat lift in the Rehoboth Bay at



29570 Cove Way, Cotton Patch Hills, Bethany Beach, DE. This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Frank and Angela Ferrogine (1-34-23.12-8.00) to install a boat lift with 2 associated pilings connecting to a grandfathered 6.5 by 13 foot pier and a 8 by 24 foot dock in the Little Assawoman Bay at 1200 N. Shultz Road, Fenwick Island. This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

John and Marian Miller (3-34-19.00-51.00) to repair by replace 100 linear feet of bulkhead and to construct a 4 by 18 foot pier, a 6 by 30 foot dock, and a boat lift with 4 associated pilings in White Oak Creek at 53 West Side Drive, Rehoboth Beach Yacht and Country Club, Rehoboth Beach, DE. This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Margaret Smith (parcel number 150-017.00-020.0-0000) to maintain a stationary dock 6 by 176 feet, a pier 8 by 23 feet, a pier 6 by 14 feet, a pier 6 by 25 feet, a pier 6 by 28 feet, a floating dock 6 by 103 feet, a pier 5 by 14 feet and a free standing piling in the Smyrna River on the southeast side of Fleming Landing bridge on Fleming Landing Road (Rt. 9) near Smyrna, New Castle County. This notice ends **October 28**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2497&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Subaqueous Lands Permit Application**

E.I. DuPont de Nemours and Company (TM 0615300006) to construct 300 linear feet of riprap revetment along the Delaware River at the DuPont Edge Moor Plant, 104 Hay Road, Edgemoor, New Castle County. This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Jason Copen and Christopher Kirby (Tax Parcel #3-34-13-1298) to construct 4 by 4 foot access steps, a 4 by 10 foot pier and a 6 by 45 foot dock with two pilings for a boat lift in the L&R Canal at 32 Eleanor Lee Lane, Rehoboth Beach, Sussex. This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Center for the Inland Bays (Tax Parcel #1-34-20.07-59; 60.01; 61 and 1-34-20.08-1; 2; 15) To install 100 - 3 by 4 by 1 foot oyster cages and 8 - 7.5 by 10 by 10 foot floating wetlands to improve water quality in an unnamed dead end canal at 330, 320, 322, 326, 332 York Rd. and 209 Carlisle Road, South Bethany, Sussex, DE This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Delaware Dept. of Transportation – West Dover Connector - (linear project) to temporarily place three 45 feet long, 18 inch diameter culvert pipes and 16 linear feet of riprap in Puncheon Run, west of New Burton Road, Dover, Kent County, DE This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Millville Town Center LLC (134-16.00-02.01) To impact 8,188 square feet of subaqueous lands by clearing, grading and filling a channel with 222 cubic yards of fill and replanting with native vegetation and by installing a road crossing consisting of 2-150 linear foot sections of 48 inch diameter polyethylene pipe, and 66 cubic yards of rip-rap scour protection; to install sewer, water, gas and electric utilities; to install 3 gabion forebays, and to authorize an existing 5 by 26 foot pier and 11 by 15 foot dock in Prong 7 of Beaver Dam Tax ditch, north of Beaver Dam Road, West of Substation Road, Millville by the Sea, Lakeside Village, Millville, Sussex County. This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

The Grange Crossing, Inc. (Tax Parcel 06-051.00-073) — To extend an existing culvert pipe using a 25 foot long, 48 inch diameter pipe and 84 cubic yards of fill in an unnamed tributary to Shellpot Creek in the Talleyville Shoppes at the intersection of Silverside Road and Concord Pike in Talleyville, New Castle County This notice ends **October 28**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2497&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

Loretta Achey (334-19.00-35.00) To install (2) 6 by 30 foot long linear docks, 2 boat lifts each with 2 associated pilings, and a 6 by 15 foot long floating kayak launch in White Oak Canal at 21 West Side Drive, Rehoboth Beach Yacht and Country Club, Rehoboth Beach. This notice ends **October 28**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2497&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Subaqueous Lands Marina Application**

Kalmar Nyckel Foundation – (Tax Parcel No. 26-044.00-012) –notice of receipt of a marina permit application - to construct an 8 by 10 foot roofed structure over an existing access platform, three 20 by 8 foot floating docks and a 110.5 by 5 foot floating dock to create access to perform maintenance of the Kalmar Nyckel on the Christina River at 1124 E. 7th St., Wilmington, New Castle County. This notice ends **October 28**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2497&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **Subaqueous Lands Supplemental Application**

Ronald G. Albence, (Tax parcel # 5-33-20.18-177), to construct a 6 by 7 foot dock and a 6 by 7 foot kayak ramp connecting to an existing 4 by 23 foot pier and a 6 by 16 foot dock in the Assawoman Bay at 38864 Old Lighthouse Rd. Selbyville, Sussex County, DE This notice ends **October 14**. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2487&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **Subaqueous Lands Water Quality Application**

Delaware Department of Transportation – Little Heaven Grade Separated Intersection (linear project) – to permanently impact 24,845 square feet of non-tidal wetlands and 11,158 square feet of waters and to temporarily impact 97 square feet of waters in the St. Jones and Murderkill River watershed to construct a grade separated intersection over State Route 1 at Bowers Beach Road and service roads and ancillary structures in the vicinity of State Road 1 from Barratts Chapel Road to Clapham Road in Little Heaven, Kent County, DE. A 3.82 acre wetland mitigation site will be constructed north of Skeeter Neck Road to offset the wetlands impacts. This notice ends.

**October 28.** For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2497&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

## **Employee Updates:**

Effective October 5, Tish Boyd was **promoted** from Environmental Control Technician III in Well Permitting to Sr. Environmental Control Specialist in small systems/septics.

## **CONTACT INFORMATION**

24-Hour Report and Spill Notification Line - 1-800-662-8802  
Aboveground Storage Tanks - 302-395-2500  
Air Quality - New Castle Office - 302-323-4542  
Air Quality – Kent & Sussex – 302-739-9402  
Asbestos New Castle - 302-323-4542  
Asbestos Kent & Sussex - 302-739-9402  
Biosolids Permits - 302-739-9946  
Boiler Safety - 302-744-2735  
Brownfields - 302-395-2600  
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)  
Division of Air Quality Director's Office - 302-739-9402  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Information - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program  
302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945



Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943